

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L24	20	15 and 23	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 23:06
L23	16756	710/5,19,36.ccls. 709/223, 225-229,245,250.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 23:06
L22	15	20 and (request\$3 demand\$3) near5 (ip address)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 22:10
L21	2	15 and 20	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 22:09
L20	30	osa adj adapter	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 22:09
L13	25	11 not 12	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 22:06
L19	11	"5684800".pn. "5734652".pn. "5884017".pn. "5917805".pn. "6035414".pn. "6084876".pn. "6131169".pn. "6138161".pn. "6148004".pn. "6195703".pn. "6327621".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:51
L18	105	16 not 17	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:50
L16	114	15 and (table) near5 (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:34
L17	9	16 and (reusable reassign\$5) near5 (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:32
L8	1	5 same (reusable reassign\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:32
L15	229	assign\$5 with partition with (ip address)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:31
L14	0	assignm\$5 with lpar with (ip address)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:31

L12	16	11 and (table) near5 (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:31
L11	41	assignm\$5 with partition with (ip address)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:31
L6	2	5 and (table) near (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:28
L10	11	("20020133573" "20030189930" "20040093415" "20040093430" "4564903" "4843541" "5239577" "5564040" "5954796" "5963556" "6216162").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:27
L9	4	"6807579".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 21:26
L1	2	"6957276".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 21:25
L5	54	3 with (partition logical virtual)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:17
L7	28	5 and (table) near5 (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:16
L4	317894	3 with partition logical virtual	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:14
L3	385	dynamic adj (allocation assign\$5) near4 (ip address\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:14
L2	10	("5884024" "6009103" "6012088" "6052725" "6286039" "6393484" "6418129" "6496511" "6678732" "6684243").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 21:13
S13 5	51	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand) same (address near3 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:41

S26	14	((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3)near3 (command instruction request demand) with fabric	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:40
S13 4	48	S132 and (router gateway)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:27
S13 3	11	S132 and partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:27
S13 2	173	S131 same table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:26
S13 1	950	(ip address\$2) with reassign\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:26
S13 0	15	reassign\$3 near5 other	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:25
S12 9	15	reassign\$3 near5 others	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:23
S12 5	27	S124 not S123	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:23

S12 8	0	S125 same (fiber fibre fabric)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:13
S12 7	0	S125 same logical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:13
S12 6	0	S125 same partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:13
S12 4	33	gateway near3 assign\$3 near3 (ip address)with (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:12
S12 3	6	gateway near3 assign near3 (ip address)with (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:12
S12 2	1459055	gateway near3 assign near3 (ip address) (command instruction request demand)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:05
S11 6	93	gateway near3 assign near3 (ip address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:05
S12 1	1	S116 same logical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:03

S12 0	0	S116 same partition	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:03
S11 9	0	S116 same (fibre fiber)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:03
S11 8	0	S116 same fabre	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:02
S11 7	0	S116 same fabric	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:02
S11 5	121	gateway near4 assign near4 (ip address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:02
S11 4	2	"5999974".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:02
S11 3	31	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach) with (ip address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 16:56
S11 2	8	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (ip address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 15:03

S11 1	4	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (ip address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 15:03
S87	10	partition with ((log\$1out (log\$3 adj out)) quit\$3 exit\$3 disconnect\$3 deallocat\$3 de\$1allocat\$3 detach)near3 (command instruction request demand) with (acknowledg\$5 response respond\$3 reply\$3 confirm\$3 confirmat3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 14:59

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	357	(address near4 assignment near4 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:57
L2	147	(server near4 (multiple or plurality or multi or plural) near4 partition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 18:03
L3	1	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:58
L4	11	("20020133573" "20030189930" "20040093415" "20040093430" "4564903" "4843541" "5239577" "5564040" "5954796" "5963556" "6216162").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 18:01
L5	911	((table or list) near4 (active or in\$use)) with (IP or address)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 18:03
L6	911	((table or list) near4 (active or in\$use)) with (IP or ip or address)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 18:06
L7	4	1 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 18:03
L8	0	6 same (re\$assingn\$5 near4 (ip or address))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 18:07
L9	0	6 and(re\$assingn\$5 near4 (ip or address))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 18:07
L10	0	6 and (re\$assingn\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 18:08